Index of authors and papers

Abraham, K., see Dederichs, P.H. 172 (1991) 203
Agarwal, P., Goel, S., Tripathi, S.K. and Kumar, A., Amorphous to crystalline transition in glassy $Se_{100-x}In_x$ 172 (1991) 511
Andreev, A.V., Thermal expansion and spontaneous magnetostriction of a $UCo_{5.3}$ single crystal 172 (1991) 377
Andreev, A.V. and Zadvorkin, S.M., Thermal expansion and spontaneous magnetostriction of RCo_5 intermetallic compounds 172 (1991) 517
Andzelm, J. and Wimmer, E., DGauss – a density functional method for molecular and electronic structure calculations in the 1990s 172 (1991) 307
Arrott, A.S., New phases of the magnetic elements 172 (1991) 31

Badralexe, E., see Hörmandinger, G. 172 (1991) 237
Barbieri, A., see Györffy, B.L. 172 (1991) 35
Barzel, G., see Scheffler, M. 172 (1991) 143
Belitsky, V.I., Lang, I.G. and Pavlov, S.T., Giant increase of the multiphonon resonant Raman scattering intensity in a high magnetic field in semiconductors with equal effective mass of electrons and holes 172 (1991) 452
Belitsky, V.I. and Goltsev, A.V., Transport properties of heavy-fermion compounds in a magnetic field 172 (1991) 459
Boring, A.M., see König, U. 172 (1991) 125
Boukos, N., see Tselfes, W. 172 (1991) 405
Brommer, P.E., see Duc, N.H. 172 (1991) 399
Brooks, M.S.S., see Johansson, B. 172 (1991) 101
Brooks, M.S.S., Nordström, L. and Johansson, B., Rare-earth transition-metal intermetallics 172 (1991) 95

Cai, M. and Liu, W., Binding energy of impurities in asymmetric quantum wells with longitudinal electric field 172 (1991) 429
Chan, C.T., see Elsässer, C. 172 (1991) 217
Chetal, A.R., see Pandey, S.K. 172 (1991) 324
Chuu, D.-S., see Dai, C.-M. 172 (1991) 445

Dai, C.-M. and Chuu, D.-S., Shallow donor impurity states of a semiconductor in a uniform magnetic field 172 (1991) 445
Davenport, J.W., see Watson, R.E. 172 (1991) 289
De Boer, F.R., Editorial 172 (1991) iii
De Groot, R.A., Half-metallic magnetism in the 1990s 172 (1991) 45
Dederichs, P.H., Hoshino, T., Drittler, B., Abraham, K. and Zeller, R., Total-energy calculations for point defects in metals 172 (1991) 203
Delley, B., Density functional study of iron(II)-porphine 172 (1991) 185
Doniach, S., see Sommers, C. 172 (1991) 27

Drittler, B., see Dederichs, P.H. 172 (1991) 203
Droste, Ch., see Scheffler, M. 172 (1991) 143
Duc, N.H., Hien, T.D., Mai, P.P. and Brommer, P.E., Role of the rare-earth atoms affecting the spin fluctuation scattering in the (RE, Y)Co_2 compounds 172 (1991) 399

Ebert, H., see Strange, P. 172 (1991) 51
Ebert, H., see Guo, G.Y. 172 (1991) 61
Ebert, H., Wienke, R., Schütz, G. and Temmerman, W.M., Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism 172 (1991) 71
Eder, K., Gruber, M., Zeilinger, A., Gähler, R. and Mampe, W., Diffraction of very cold neutrons at phase gratings 172 (1991) 329
Elsässer, C., Fähnle, M., Ho, K.M. and Chan, C.T., Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium 172 (1991) 217
Eriksson, O., see Johansson, B. 172 (1991) 101
Eschrig, H., see Richter, M. 172 (1991) 85

Fähnle, M., see Elsässer, C. 172 (1991) 217
Feder, R., see Krewer, J.W. 172 (1991) 135
Fedorovich, G.V., The Coulomb interaction in the E-cell 172 (1991) 491
Fernando, G.W., see Watson, R.E. 172 (1991) 289
Fleszar, A., see Scheffler, M. 172 (1991) 143
Flouda, E., see Tselfes, W. 172 (1991) 405
Fowler, C.M., see Mueller, F.M. 172 (1991) 253
Freeman, B.L., see Mueller, F.M. 172 (1991) 253
Fritsche, L., Excitations in a generalized density functional theory 172 (1991) 7
Fu, C., see Sommers, C. 172 (1991) 27
Fukuda, K., see Satoh, T. 172 (1991) 409

Gähler, R., see Eder, K. 172 (1991) 329
Ginatempo, B., see König, U. 172 (1991) 125
Gingl, Z., see Kiss, L.B. 172 (1991) 441
Goel, S., see Agarwal, P. 172 (1991) 511
Goltsev, A.V., see Belitsky, V.I. 172 (1991) 459
Gruber, M., see Eder, K. 172 (1991) 329
Gubanov, V.A. and Medvedeva, N.I., Electronic band structure and chemical bonding in the transition metal dioxides 172 (1991) 285
Guo, G.Y., see Temmerman, W.M. 172 (1991) 279
Guo, G.Y., Temmerman, W.M. and Ebert, H., A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron 172 (1991) 61
Györffy, B.L., Barbieri, A., Staunton, J.B., Shelton, W.A. and Stocks, G.M., Charge and spin fluctuations in the density functional theory 172 (1991) 35
Györffy, B.L., see Strange, P. 172 (1991) 51

Hergert, W., Wenzien, B. and Rennert, P., Computation of electronic structure of clean and adatom-covered Ag (0 0 1) surfaces by means of TB–LMTO and recursion method 172 (1991) 167
Hien, T.D., see Duc, N.H. 172 (1991) 399

Hierse, W., see Oppeneer, P.M. 172 (1991) 195
Ho, K.M., see Elsässer, C. 172 (1991) 217
Hoffmann, S.K., see Zimpel, Z. 172 (1991) 499
Hörmandinger, G., see König, U. 172 (1991) 125
Hörmandinger, G., Weinberger, P., Marksteiner, P. and Badralexe, E., Spin–orbit effects in the band structure of $Bi_2Sr_2Ca_1Cu_2O_8$ 172 (1991) 237
Hoshino, T., see Dederichs, P.H. 172 (1991) 203
Hudner, J., see Kiss, L.B. 172 (1991) 441
Hults, W.L., see Mueller, F.M. 172 (1991) 253

Jarlborg, T., Electronic structure and electron–phonon coupling in high-T_c superconductors 172 (1991) 245
Johansson, B., Eriksson, O., Nordström, L., Severin, L. and Brooks, M.S.S., Orbital magnetism in energy bands 172 (1991) 101
Johansson, B., see Brooks, M.S.S. 172 (1991) 95

Kaschner, R., see Ziesche, P. 172 (1991) 299
King, J.C., see Mueller, F.M. 172 (1991) 253
Kiss, L.B., Svedlindh, P., Lundgren, L., Hudner, J., Ohlsén, H., Stolt, L. and Gingl, Z., Scaling spontaneous fluctuations in high-T_c superconductor films 172 (1991) 441
Klein, B.M., see Mehl, M.J. 172 (1991) 211
Koelling, D.D., f-Electron systems: pushing band theory 172 (1991) 117
Köhler, H., Sticht, J. and Kübler, J., Spin waves and Heisenberg exchange constants for α-iron 172 (1991) 79
König, U., Ginatempo, B., Hörmandinger, G., Weinberger, P. and Boring, A.M., A fully relativistic study of angle-resolved photoemission from Ag (1 0 0) and Au (1 0 0) surfaces 172 (1991) 125
Krewer, J.W. and Feder, R., Potential-shape effects in SPLEED from ferromagnets 172 (1991) 135
Krüger, P. and Pollmann, J., Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory 172 (1991) 155
Kübler, J., see Oppeneer, P.M. 172 (1991) 195
Kübler, J., see Köhler, H. 172 (1991) 79
Kucharczyk, W., Ionic sizes and strain derivative of electronic susceptibility in alkali halides 172 (1991) 473
Kumar, A., see Agarwal, P. 172 (1991) 511

Lang, I.G., see Belitsky, V.I. 172 (1991) 452
Leys, M.R., see Ren, L. 172 (1991) 319
Liu, W., see Cai, M. 172 (1991) 429
Lundgren, L., see Kiss, L.B. 172 (1991) 441

Máca, F., see Scheffler, M. 172 (1991) 143
Mai, P.P., see Duc, N.H. 172 (1991) 399
Mampe, W., see Eder, K. 172 (1991) 329
Marksteiner, P., see Hörmandinger, G. 172 (1991) 237
Medvedeva, N.I., see Gubanov, V.A. 172 (1991) 285

Mehl, M.J. and Klein, B.M., All-electron first-principles supercell total-energy calculation of the vacancy formation energy in aluminium 172 (1991) 211
Methfessel, M. and Scheffler, M., Full-potential LMTO calculations for atomic relaxations at semiconductor–semiconductor interfaces 172 (1991) 175
Mishra, L.K. and Tripathy, D.N., A self-consistent scheme for evaluating the velocity of the zero-sound in normal liquid ^{3}He and the study of its variation with temperature 172 (1991) 369
Montagna, M., see Vazquez-Marquez, J. 172 (1991) 355
Mueller, F.M., Fowler, C.M., Freeman, B.L., Hults, W.L., King, J.C. and Smith, J.L., Measurement of the de Haas–van Alphen effect in $YBa_2Cu_3O_{6.97}$ using megagauss fields 172 (1991) 253

Nordström, L., see Johansson, B. 172 (1991) 101
Nordström, L., see Brooks, M.S.S. 172 (1991) 95

Ohlsén, H., see Kiss, L.B. 172 (1991) 441
Okuyama, M., see Satoh, T. 172 (1991) 409
Okuyama, M., see Satoh, T. 172 (1991) 419
Oppeneer, P.M., Hierse, W. and Kübler, J., A fast full-potential LCAO method for total-energy minimizations 172 (1991) 195
Orlov, V.B., AC effects in hot carriers' semiconductor $1/f$ noise 172 (1991) 435
Orzechowski, K., Nonlinear dielectric effect in ethanol–dodecane critical mixture 172 (1991) 339

Pandey, S.K., Chetal, A.R. and Sarode, P.R., A XANES study of the K-absorption edge of copper in some of its compounds and use of the same in the determination of bond length 172 (1991) 324
Papastaikoudis, C., see Tselfes, W. 172 (1991) 405
Pavlov, S.T., see Belitsky, V.I. 172 (1991) 452
Perdew, J.P., Generalized gradient approximations for exchange and correlation: A look backward and forward 172 (1991) 1
Pilla, O., see Vazquez-Marquez, J. 172 (1991) 355
Pollmann, J., see Krüger, P. 172 (1991) 155

Ren, L. and Leys, M.R., $1/f$ noise at room temperature in n-type GaAs grown by molecular beam epitaxy 172 (1991) 319
Rennert, P., see Hergert, W. 172 (1991) 167
Richter, M. and Eschrig, H., Electronic structure of ferromagnetic rare-earth–transition-metal compounds 172 (1991) 85
Ruebenbauer, K., Goldanskii–Karyagin effect in the absence of inversion centres 172 (1991) 346

Sarode, P.R., see Pandey, S.K. 172 (1991) 324
Satoh, T., Okuyama, M. and Fukuda, K., Adiabatic flow of He II, part III 172 (1991) 409
Satoh, T. and Okuyama, M., Adiabatic flow of He II, part IV 172 (1991) 419
Scheffler, M., Droste, Ch., Fleszar, A., Máca, F., Wachutka, G. and Barzel, G., A self-consistent surface-Green-function (SSGF) method 172 (1991) 143
Scheffler, M., see Methfessel, M. 172 (1991) 175
Schütz, G., see Ebert, H. 172 (1991) 71
Severin, L., see Johansson, B. 172 (1991) 101

Shelton, W.A., see Györffy, B.L. 172 (1991) 35
Singh, J., Temperature variation of the dynamical orbital susceptibility of metals 172 (1991) 383
Smith, J.L., see Mueller, F.M. 172 (1991) 253
Sommers, C., Doniach, S. and Fu, C., A new approach to a non-local density functional for the calculation of electron correlation energies 172 (1991) 27
Springborg, M., Structural defects in polymers 172 (1991) 225
Staunton, J.B., see Györffy, B.L. 172 (1991) 35
Staunton, J.B., see Strange, P. 172 (1991) 51
Sticht, J., see Köhler, H. 172 (1991) 79
Stocks, G.M., see Györffy, B.L. 172 (1991) 35
Stolt, L., see Kiss, L.B. 172 (1991) 441
Strange, P., Staunton, J.B., Györffy, B.L. and Ebert, H., First principles theory of magnetocrystalline anisotropy 172 (1991) 51
Svedlindh, P., see Kiss, L.B. 172 (1991) 441
Szotek, Z., Temmerman, W.M. and Winter, H., Self-interaction correction of localized bands within the LMTO–ASA band structure method 172 (1991) 19
Szotek, Z., see Winter, H. 172 (1991) 271
Szotek, Z., see Temmerman, W.M. 172 (1991) 279

Temmerman, W.M., see Szotek, Z. 172 (1991) 19
Temmerman, W.M., see Winter, H. 172 (1991) 271
Temmerman, W.M., Winter, H., Szotek, Z. and Guo, G.Y., On the failure of the LSD to describe the antiferromagnetic ground state of La_2CuO_4 172 (1991) 279
Temmerman, W.M., see Guo, G.Y. 172 (1991) 61
Temmerman, W.M., see Ebert, H. 172 (1991) 71
Tripathi, S.K., see Agarwal, P. 172 (1991) 511
Tripathy, D.N., see Mishra, L.K. 172 (1991) 369
Tselfes, W., Flouda, E., Boukos, N. and Papastaikoudis, C., The Hall coefficient of MgYb alloys 172 (1991) 405

Vazquez-Marquez, J., Wagner, M., Montagna, M., Pilla, O. and Viliani, G., Spatial evolution of energy in the Hamiltonian chain 172 (1991) 355
Viliani, G., see Vazquez-Marquez, J. 172 (1991) 355

Wachutka, G., see Scheffler, M. 172 (1991) 143
Wagner, M., see Vazquez-Marquez, J. 172 (1991) 355
Watson, R.E., Weinert, M., Fernando, G.W. and Davenport, J.W., Charge transfer, charge tailing, cohesion and electron promotion in the transition metals 172 (1991) 289
Weger, M., Oscillatory gap superconductivity 172 (1991) 261
Weinberger, P., see König, U. 172 (1991) 125
Weinberger, P., see Hörmandinger, G. 172 (1991) 237
Weinert, M., see Watson, R.E. 172 (1991) 289
Wenzien, B., see Hergert, W. 172 (1991) 167
Wienke, R., see Ebert, H. 172 (1991) 71
Wimmer, E., see Andzelm, J. 172 (1991) 307
Winter, H., see Szotek, Z. 172 (1991) 19

Winter, H., Szotek, Z. and Temmerman, W.M., A calculation of correlation functions based on band structure 172 (1991) 271
Winter, H., see Temmerman, W.M. 172 (1991) 279

Zadvorkin, S.M., see Andreev, A.V. 172 (1991) 517
Zaghloul, M.S., Influence of asymmetry of the electric potential gradient on the magnetoresistance in n-silicon crystals 172 (1991) 392
Zeilinger, A., see Eder, K. 172 (1991) 329
Zeller, R., see Dederichs, P.H. 172 (1991) 203
Ziesche, P. and Kaschner, R., Estimation of the ideal fracture strength for the jellium model within density functional theory and rigorous theorems for bijellic interfaces 172 (1991) 299
Zimpel, Z. and Hoffmann, S.K., Theory of fast modulation of zero-field splitting via discrete reorientations of paramagnetic centers in crystals 172 (1991) 499

Analytic subject index

Ab-initio pseudopotential
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Actinide systems
– Orbital magnetism in energy bands - Johansson et al. 172 (1991) 101
Actinides
– f-Electron systems: pushing band theory - Koelling 172 (1991) 117
Activation energy, crystallization
– Amorphous to crystalline transition in glassy $Se_{100-x}In_x$ - Agarwal et al. 172 (1991) 511
Adatom-covered Ag (0 0 1) surfaces
– Computation of electronic structure of clean and adatom-covered Ag (0 0 1) surfaces by means of TB–LMTO and recursion method - Hergert et al. 172 (1991) 167
Adhesion
– Estimation of the ideal fracture strength for the jellium model within density functional theory and rigorous theorems for bijellic interfaces - Ziesche and Kaschner 172 (1991) 299
Adsorbate-covered surfaces
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Al, magnetic susceptibility
– Temperature variation of the dynamical orbital susceptibility of metals - Singh 172 (1991) 383
Alkali halides
– Ionic sizes and strain derivative of electronic susceptibility in — - Kucharczyk 172 (1991) 473
Amorphous to crystalline transition
– — in glassy $Se_{100-x}In_x$ - Agarwal et al. 172 (1991) 511
Angle-resolved photoemission
– Spin–orbit effects in the band structure of $Bi_2Sr_2Ca_1Cu_2O_8$ - Hörmandinger et al. 172 (1991) 237
– On the failure of the LSD to describe the antiferromagnetic ground state of La_2CuO_4 - Temmerman et al. 172 (1991) 279
– A fully relativistic study of angle-resolved photoemission from Ag (1 0 0) and Au (1 0 0) surfaces - König et al. 172 (1991) 125
Anisotropy constants
– First principles theory of magnetocrystalline anisotropy - Strange et al. 172 (1991) 51
Anisotropy energy
– First principles theory of magnetocrystalline anisotropy - Strange et al. 172 (1991) 51
Antiferromagnetic ground state
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
– On the failure of the LSD to describe the — of La_2CuO_4 - Temmerman et al. 172 (1991) 279

Antiferromagnetic phases
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245
Antiferromagnetic states
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Atom-centred functions
– A fast full-potential LCAO method for total-energy minimizations - Oppeneer et al. 172 (1991) 195
Atomic relaxations
– Full-potential LMTO calculations for — at semiconductor–semiconductor interfaces - Methfessel and Scheffler 172 (1991) 175
Au, magnetic susceptibility
– Temperature variation of the dynamical orbital susceptibility of metals - Singh 172 (1991) 383
Augmented spherical wave (ASW) calculation
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27

Band gap
– Electronic band structure and chemical bonding in the transition metal dioxides - Gubanov and Medvedeva 172 (1991) 285
BCS
– Oscillatory gap superconductivity - Weger 172 (1991) 261
Bethe–Salpeter equations
– A calculation of correlation functions based on band structure - Winter et al. 172 (1991) 271
Bijellic interface
– Estimation of the ideal fracture strength for the jellium model within density functional theory and rigorous theorems for bijellic interfaces - Ziesche and Kaschner 172 (1991) 299
Binding energies
– Spin–orbit effects in the band structure of $Bi_2Sr_2Ca_1Cu_2O_8$ - Hörmandinger et al. 172 (1991) 237
$Bi_2Sr_2Ca_1Cu_2O_8$
– Spin–orbit effects in the band structure of — - Hörmandinger et al. 172 (1991) 237
Bloch waves
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Bond angles
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Bond distances
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Bond energies
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1

Bond length, determination of
– A XANES study of the K-absorption edge of copper in some of its compounds and use of the same in the determination of bond length - Pandey et al. 172 (1991) 324
Born–Oppenheimer theorem
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Brillouin zone (BZ) integrations
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61
Broken symmetry
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Broken translational symmetry
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Bubble diagram
– A calculation of correlation functions based on band structure - Winter et al. 172 (1991) 271

Charge density waves
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Charge tailing
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
Charge transfer
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
Chemical bonding
– Electronic band structure and — in the transition metal dioxides - Gubanov and Medvedeva 172 (1991) 285
Cleavage force
– Estimation of the ideal fracture strength for the jellium model within density functional theory and rigorous theorems for bijellic interfaces - Ziesche and Kaschner 172 (1991) 299
Cluster methods
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Coercive forces
– Electronic structure of ferromagnetic rare-earth–transition-metal compounds - Richter and Eschrig 172 (1991) 85
Coherent-potential approximation (CPA)
– Computation of electronic structure of clean and adatom-covered Ag (0 0 1) surfaces by means of TB–LMTO and recursion method - Hergert et al. 172 (1991) 167
Cohesive energies
– Electronic band structure and chemical bonding in the transition metal dioxides - Gubanov and Medvedeva 172 (1991) 285
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289

Cohesive properties
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217
Cold fusion
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217
Compton profiles
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245
Computing power
– New phases of the magnetic elements - Arrott 172 (1991) 31
Conduction electrons
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
Conductivity fluctuations
– Scaling spontaneous fluctuations in high-T_c superconductor films - Kiss et al. 172 (1991) 441
Configuration-interaction (CI) calculation
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Configuration space
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Correlation
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245
Correlation effects in large molecules
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
Correlation energy
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Correlation functions
– A calculation of — based on band structure - Winter et al. 172 (1991) 271
Coulomb interaction
– The — in the E-cell - Fedorovich 172 (1991) 491
Coulomb repulsion
– Oscillatory gap superconductivity - Weger 172 (1991) 261
Covalent bonds
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Critical mixture, ethanol-dodecane
– Nonlinear dielectric effect in ethanol–dodecane critical mixture - Orzechowski 172 (1991) 339
Crystal fields
– Orbital magnetism in energy bands - Johansson et al. 172 (1991) 101
Crystal lattice radiation defects
– The Coulomb interaction in the E-cell - Fedorovich 172 (1991) 491
Crystallization, in $Se_{100-x}In_x$
– Amorphous to crystalline transition in glassy $Se_{100-x}In_x$ - Agarwal et al. 172 (1991) 511

Cu compounds
– A XANES study of the K-absorption edge of copper in some of its compounds and use of the same in the determination of bond length - Pandey et al. 172 (1991) 324
Curie temperature
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
– Electronic structure of ferromagnetic rare-earth–transition-metal compounds - Richter and Eschrig 172 (1991) 85
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Current-density formalism
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Cyclotron frequency
– Measurement of the de Haas–van Alphen effect in $YBa_2Cu_3O_{6.97}$ using megagauss fields - Mueller et al. 172 (1991) 253
Cyclotron mass
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19

De Haas–van Alphen (dHvA) effect
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
– Measurement of the — in $YBa_2Cu_3O_{6.97}$ using megagauss fields - Mueller et al. 172 (1991) 253
Deformation density
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
ΔSCF calculations
– Excitations in a generalized density functional theory - Fritsche 172 (1991) 7
Density functional formalism
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
Density-functional theory (DFT)
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Density-gradient expansion (GEA)
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
DGauss
– — – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Dielectric effect, nonlinear
– Nonlinear dielectric effect in ethanol–dodecane critical mixture - Orzechowski 172 (1991) 339
Dielectric tensor
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Diffusion
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
Diffusion potentials
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217

Dioxides
– Electronic band structure and chemical bonding in the transition metal — - Gubanov and Medvedeva 172 (1991) 285
Dipole approximation
– A fully relativistic study of angle-resolved photoemission from Ag (1 0 0) and Au (1 0 0) surfaces - König et al. 172 (1991) 125
Dirac equations
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Direct gap
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Disorder
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Disordered coverings
– Computation of electronic structure of clean and adatom-covered Ag (0 0 1) surfaces by means of TB–LMTO and recursion method - Hergert et al. 172 (1991) 167
Disordered local moment (DLM) state
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Dissociation energies
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Donor impurity states
– Shallow — of a semiconductor in a uniform magnetic field - Dai and Chuu 172 (1991) 445
Double-hexagonal
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19

E-cell
– The Coulomb interaction in the — - Fedorovich 172 (1991) 491
Effective mass, electron
– Giant increase of the multiphonon resonant Raman scattering intensity in a high magnetic field in semiconductors with equal effective mass of electrons and holes - Belitsky et al. 172 (1991) 452
Effective mass, hole
– Giant increase of the multiphonon resonant Raman scattering intensity in a high magnetic field in semiconductors with equal effective mass of electrons and holes - Belitsky et al. 172 (1991) 452
Elastic properties
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Electric field gradient
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
Electrical resistivity, (RE,Y)Co_2 compounds
– Role of the rare-earth atoms affecting the spin fluctuation scattering in the (RE, Y)Co_2 compounds - Duc et al. 172 (1991) 399
Electron–electron interaction
– Excitations in a generalized density functional theory - Fritsche 172 (1991) 7
Electron–phonon coupling
– Electronic structure and — in high-T_c superconductors - Jarlborg 172 (1991) 245

– Oscillatory gap superconductivity - Weger 172 (1991) 261
Electron spin relaxation
– Theory of fast modulation of zero-field splitting via discrete reorientations of paramagnetic centers in crystals - Zimpel and Hoffmann 172 (1991) 499
Electronic susceptibility
– Ionic sizes and strain derivative of — in alkali halides - Kucharczyk 172 (1991) 473
Envelope functions
– Full-potential LMTO calculations for atomic relaxations at semiconductor–semiconductor interfaces - Methfessel and Scheffler 172 (1991) 175
Epitaxial ultrathin films
– New phases of the magnetic elements - Arrott 172 (1991) 31
Epitaxy
– New phases of the magnetic elements - Arrott 172 (1991) 31
Exchange-correlation potential
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
Exchange scattering asymmetry
– Potential-shape effects in SPLEED from ferromagnets - Krewer and Feder 172 (1991) 135
Excitations
– — in a generalized density functional theory - Fritsche 172 (1991) 7
Excitonic interaction
– Oscillatory gap superconductivity - Weger 172 (1991) 261
Excitons
– Oscillatory gap superconductivity - Weger 172 (1991) 261
Extended band states
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
External potential
– Excitations in a generalized density functional theory - Fritsche 172 (1991) 7

f-band
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
f-band magnetism
– Orbital magnetism in energy bands - Johansson et al. 172 (1991) 101
f-core
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
1 / f noise
– — at room temperature in n-type GaAs grown by molecular beam epitaxy - Ren and Leys 172 (1991) 319
– AC effects in hot carriers' semiconductor — - Orlov 172 (1991) 435
Faraday effect
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Fe (1 1 0) surface
– Potential-shape effects in SPLEED from ferromagnets - Krewer and Feder 172 (1991) 135

Fe(II)-tetraphenylporphine
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
Fermi-liquid theory
– Oscillatory gap superconductivity - Weger 172 (1991) 261
Fermi surface
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245
– Measurement of the de Haas–van Alphen effect in $YBa_2Cu_3O_{6.97}$ using megagauss fields - Mueller et al. 172 (1991) 253
– On the failure of the LSD to describe the antiferromagnetic ground state of La_2CuO_4 - Temmerman et al. 172 (1991) 279
Fermi surface nesting
– On the failure of the LSD to describe the antiferromagnetic ground state of La_2CuO_4 - Temmerman et al. 172 (1991) 279
Fermi surfaces
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
Ferrimagnetic exchange interaction
– Rare-earth transition-metal intermetallics - Brooks et al. 172 (1991) 95
FLAPW thin film potentials
– A fully relativistic study of angle-resolved photoemission from Ag (1 0 0) and Au (1 0 0) surfaces - König et al. 172 (1991) 125
Flow state of ^3He
– Adiabatic flow of He II, part III - Satoh et al. 172 (1991) 409
Fluctuation hole
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
Fluctuations
– Charge and spin — in the density functional theory - Györffy et al. 172 (1991) 35
Forces for hydrogen in palladium
– Ab initio pseudopotential calculations of total energies and — - Elsässer et al. 172 (1991) 217
Fracture strength
– Estimation of the ideal — for the jellium model within density functional theory and rigorous theorems for bijellic interfaces - Ziesche and Kaschner 172 (1991) 299
Free energy
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Frozen-core potential
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
Frozen phonons
– Full-potential LMTO calculations for atomic relaxations at semiconductor–semiconductor interfaces - Methfessel and Scheffler 172 (1991) 175
Full-potential Green function method
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
Full-potential LCAO
– A fast — method for total-energy minimizations - Oppeneer et al. 172 (1991) 195

Full-potential linearized augmented plane-wave (LAPW) method
– All-electron first-principles supercell total-energy calculation of the vacancy formation energy in aluminium - Mehl and Klein 172 (1991) 211
Full-potential LMTO calculations
– — for atomic relaxations at semiconductor–semiconductor interfaces - Methfessel and Scheffler 172 (1991) 175
Fully relativistic spin-polarized schemes
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Functional averages
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Functional integrals
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35

GaAs
– $1/f$ noise at room temperature in n-type — grown by molecular beam epitaxy - Ren and Leys 172 (1991) 319
Gaussians
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Generalized gradient approximation (GGA)
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
Goldanskii–Karyagin effect
– — in the absence of inversion centres - Ruebenbauer 172 (1991) 346
Gradient approximations
– Generalized — for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
Gradient expansion
– Estimation of the ideal fracture strength for the jellium model within density functional theory and rigorous theorems for bijellic interfaces - Ziesche and Kaschner 172 (1991) 299
Green's function formalism
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Gutzwiller projection
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Gutzwiller-type trial wave functions
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27

Half-metallic antiferromagnet
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Half-metallic ferromagnet
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Half-metallic magnetic multilayer systems
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45

Hall effect
– The Hall coefficient of MgYb alloys - Tselfes et al. 172 (1991) 405
Hamiltonian chain
– Spatial evolution of energy in the — - Vazquez-Marquez et al. 172 (1991) 355
He II
– Adiabatic flow of —, part III - Satoh et al. 172 (1991) 409
– Adiabatic flow of —, part IV - Satoh and Okuyama 172 (1991) 419
Heavy-fermion compounds
– Transport properties of — in a magnetic field - Belitsky and Goltsev 172 (1991) 459
Heavy-fermion systems
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
Heisenberg exchange
– Spin waves and — constants for α-iron - Köhler et al. 172 (1991) 79
Hellmann–Feynman theorem
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217
Hemoproteins
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
Heterojunction
– Full-potential LMTO calculations for atomic relaxations at semiconductor–semiconductor interfaces - Methfessel and Scheffler 172 (1991) 175
Hexagonal face
– New phases of the magnetic elements - Arrott 172 (1991) 31
High-T_c ceramic superconductors (HTSC)
– Measurement of the de Haas–van Alphen effect in $YBa_2Cu_3O_{6.97}$ using megagauss fields - Mueller et al. 172 (1991) 253
High-T_c superconductor
– Spin–orbit effects in the band structure of $Bi_2Sr_2Ca_1Cu_2O_8$ - Hörmandinger et al. 172 (1991) 237
High-T_c superconductors
– Scaling spontaneous fluctuations in high-T_c superconductor films - Kiss et al. 172 (1991) 441
High-T_c superconductors
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Hohenberg–Kohn theorem
– Excitations in a generalized density functional theory - Fritsche 172 (1991) 7
Hot carriers semiconductor
– AC effects in hot carriers' semiconductor $1/f$ noise - Orlov 172 (1991) 435
Hybridization
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
Hydrogen in metals
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217

Ideal semi-infinite crystal
– Computation of electronic structure of clean and adatom-covered Ag (0 0 1) surfaces by means of TB–LMTO and recursion method - Hergert et al. 172 (1991) 167
Impurities, binding energy
– Binding energy of impurities in asymmetric quantum wells with longitudinal electric field - Cai and Liu 172 (1991) 429
Impurity–impurity interaction energies
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
InBr, Raman scattering
– Giant increase of the multiphonon resonant Raman scattering intensity in a high magnetic field in semiconductors with equal effective mass of electrons and holes - Belitsky et al. 172 (1991) 452
InI, Raman scattering
– Giant increase of the multiphonon resonant Raman scattering intensity in a high magnetic field in semiconductors with equal effective mass of electrons and holes - Belitsky et al. 172 (1991) 452
Interacting N-electron system
– Excitations in a generalized density functional theory - Fritsche 172 (1991) 7
Intra-atomic exchange integral
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Ionic size
– Ionic sizes and strain derivative of electronic susceptibility in alkali halides - Kucharczyk 172 (1991) 473
Ionicity
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245
Iron magnetism
– Orbital magnetism in energy bands - Johansson et al. 172 (1991) 101
Iron(II)-porphine
– Density functional study of — - Delley 172 (1991) 185
Itinerant conduction electrons
– f-Electron systems: pushing band theory - Koelling 172 (1991) 117
Itinerant-electron magnetism
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Itinerant magnetism
– Oscillatory gap superconductivity - Weger 172 (1991) 261
Itinerant magnets
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
– Orbital magnetism in energy bands - Johansson et al. 172 (1991) 101
Itinerant transition metal
– Rare-earth transition-metal intermetallics - Brooks et al. 172 (1991) 95

Jellium model
– Estimation of the ideal fracture strength for the — within density functional theory and rigorous theorems for bijellic interfaces - Ziesche and Kaschner 172 (1991) 299

Kohn–Sham (KS) equations
– Excitations in a generalized density functional theory - Fritsche 172 (1991) 7
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Kohn–Sham theory
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
Kondo scattering
– The Hall coefficient of MgYb alloys - Tselfes et al. 172 (1991) 405
Korringa–Kohn–Rostoker (KKR) calculations
– Spin–orbit effects in the band structure of $Bi_2Sr_2Ca_1Cu_2O_8$ - Hörmandinger et al. 172 (1991) 237
Korringa–Kohn–Rostoker (KKR) Green function
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
Korringa–Kohn–Rostoker (KKR) method
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71

La_2CuO_4
– On the failure of the LSD to describe the antiferromagnetic ground state of — - Temmerman et al. 172 (1991) 279
Landau–Ginzburg–Wilson (LGW) equations
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Landé factor
– Rare-earth transition-metal intermetallics - Brooks et al. 172 (1991) 95
Lattice relaxations
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
Laves phases
– New phases of the magnetic elements - Arrott 172 (1991) 31
Layer-dependent surface magnetization
– Potential-shape effects in SPLEED from ferromagnets - Krewer and Feder 172 (1991) 135
Layer exchange potential
– Potential-shape effects in SPLEED from ferromagnets - Krewer and Feder 172 (1991) 135
Layer-KKR Green function
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Layered materials
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
LMTO–ASA
– Self-interaction correction of localized bands within the — band structure method - Szotek et al. 172 (1991) 19
Local density approximation (LDA)
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143

Local moments
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Local spin density (LSD) approximation
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
– On the failure of the LSD to describe the antiferromagnetic ground state of La_2CuO_4 - Temmerman et al. 172 (1991) 279
Localized atomic orbitals
– f-Electron systems: pushing band theory - Koelling 172 (1991) 117
Localized bands
– Self-interaction correction of — within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
Localized Gaussian orbitals
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Localized rare-earth magnetism
– Rare-earth transition-metal intermetallics - Brooks et al. 172 (1991) 95
Lorenz ratio, heavy-fermion compounds
– Transport properties of heavy-fermion compounds in a magnetic field - Belitsky and Goltsev 172 (1991) 459

Macromolecules
– Structural defects in polymers - Springborg 172 (1991) 225
Madelung shifts
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245
Magnetic anisotropy
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Magnetic breakdown
– The Hall coefficient of MgYb alloys - Tselfes et al. 172 (1991) 405
Magnetic field, influence on donor impurity states
– Shallow donor impurity states of a semiconductor in a uniform magnetic field - Dai and Chuu 172 (1991) 445
Magnetic form factors
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61
Magnetic hyperfine effects
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
Magnetic susceptibility, dynamical orbital
– Temperature variation of the dynamical orbital susceptibility of metals - Singh 172 (1991) 383
Magnetic susceptibility, orbital
– Temperature variation of the dynamical orbital susceptibility of metals - Singh 172 (1991) 383
Magnetic X-ray dichroism
– Spin-polarized relativistic band structure calculations and their application to the — - Ebert et al. 172 (1991) 71
Magnetisation vector
– First principles theory of magnetocrystalline anisotropy - Strange et al. 172 (1991) 51

Magneto-crystalline anisotropy
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61
Magneto-crystalline anisotropy energy (MAE)
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61
Magneto-optical effects
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Magneto-optical Kerr effect (MOKE)
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61
Magneto-optical material
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Magneto-optical properties
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Magneto resistance, transverse
– Influence of asymmetry of the electric potential gradient on the magnetoresistance in n-silicon crystals - Zaghloul 172 (1991) 392
Magnetocrystalline anisotropy
– First principles theory of — - Strange et al. 172 (1991) 51
Magnetostriction, RCo_5
– Thermal expansion and spontaneous magnetostriction of RCo_5 intermetallic compounds - Andreev and Zadvorkin 172 (1991) 517
Magnetostriction, spontaneous
– Thermal expansion and spontaneous magnetostriction of a $UCo_{5.3}$ single crystal - Andreev 172 (1991) 377
– Thermal expansion and spontaneous magnetostriction of RCo_5 intermetallic compounds - Andreev and Zadvorkin 172 (1991) 517
Magnetostriction, $UCo_{5.3}$
– Thermal expansion and spontaneous magnetostriction of a $UCo_{5.3}$ single crystal - Andreev 172 (1991) 377
Mean field approximation
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Megagauss field
– Measurement of the de Haas–van Alphen effect in $YBa_2Cu_3O_{6.97}$ using megagauss fields - Mueller et al. 172 (1991) 253
Melting oxygen sublattice
– Electronic band structure and chemical bonding in the transition metal dioxides - Gubanov and Medvedeva 172 (1991) 285
Metallic ground state
– Measurement of the de Haas–van Alphen effect in $YBa_2Cu_3O_{6.97}$ using megagauss fields - Mueller et al. 172 (1991) 253
Metastable phases
– New phases of the magnetic elements - Arrott 172 (1991) 31
MgYb alloys
– The Hall coefficient of — - Tselfes et al. 172 (1991) 405

Minimal basis set
– A fast full-potential LCAO method for total-energy minimizations - Oppeneer et al. 172 (1991) 195
Mixed basis
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217
Mobility
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217
Molecular beam epitaxy
– $1/f$ noise at room temperature in n-type GaAs grown by — - Ren and Leys 172 (1991) 319
– New phases of the magnetic elements - Arrott 172 (1991) 31
Molecular systems
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Monte Carlo method
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Mössbauer data
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
Mössbauer effect
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
– Goldanskii–Karyagin effect in the absence of inversion centres - Ruebenbauer 172 (1991) 346
Mott insulating state
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Mott insulators
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Muffin-tin orbitals
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Multiphonon resonant Raman scattering
– Giant increase of the — intensity in a high magnetic field in semiconductors with equal effective mass of electrons and holes - Belitsky et al. 172 (1991) 452
Multiple-scattering formalism
– Potential-shape effects in SPLEED from ferromagnets - Krewer and Feder 172 (1991) 135
Multiple-scattering theory
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203

n-Si, magnetoresistance
– Influence of asymmetry of the electric potential gradient on the magnetoresistance in n-silicon crystals - Zaghloul 172 (1991) 392
Neutron diffraction
– Diffraction of very cold neutrons at phase gratings - Eder et al. 172 (1991) 329
NMR measurements
– Adiabatic flow of He II, part III - Satoh et al. 172 (1991) 409

Non-collinear spin arrangements
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Non-local density functional
– A new approach to a — for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Non-local gradient corrections
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Non-muffin-tin corrections
– Potential-shape effects in SPLEED from ferromagnets - Krewer and Feder 172 (1991) 135
Non-relativistic DF theory
– Excitations in a generalized density functional theory - Fritsche 172 (1991) 7
Norm-conserving ab initio pseudopotentials
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217

Obara–Saika recurrence scheme
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Off-diagonal dielectric tensor
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
One-electron picture
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
One-step model
– A fully relativistic study of angle-resolved photoemission from Ag (1 0 0) and Au (1 0 0) surfaces - König et al. 172 (1991) 125
Open core shell
– Electronic structure of ferromagnetic rare-earth–transition-metal compounds - Richter and Eschrig 172 (1991) 85
Orbital magnetic moments
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61
Orbital magnetism
– — in energy bands - Johansson et al. 172 (1991) 101
Orbital susceptibility
– A calculation of correlation functions based on band structure - Winter et al. 172 (1991) 271
Order parameter
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Ordering
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
Organic molecules
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307

Paramagnetic centers
– Theory of fast modulation of zero-field splitting via discrete reorientations of — in crystals - Zimpel and Hoffmann 172 (1991) 499
Particle–hole irreducible K-matrix
– A calculation of correlation functions based on band structure - Winter et al. 172 (1991) 271
Partition function
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Pauli effect
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Pd_nH supercells
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217
Periodic chains
– Structural defects in polymers - Springborg 172 (1991) 225
Permament magnetic materials
– Electronic structure of ferromagnetic rare-earth–transition-metal compounds - Richter and Eschrig 172 (1991) 85
Phase gratings
– Diffraction of very cold neutrons at — - Eder et al. 172 (1991) 329
Phonons
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245
Plane waves
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Point defects
– All-electron first-principles supercell total-energy calculation of the vacancy formation energy in aluminium - Mehl and Klein 172 (1991) 211
Point defects in metals
– Total-energy calculations for — - Dederichs et al. 172 (1991) 203
Polarized light
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Polarons
– Structural defects in polymers - Springborg 172 (1991) 225
Polymer backbone
– Structural defects in polymers - Springborg 172 (1991) 225
Polymers
– Structural defects in — - Springborg 172 (1991) 225
Positron annihilation spectra
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245
Praseodymium
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
Probability distribution
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Pseudoperturbational magnetic scattering form factors
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61

Pure spin system
– Rare-earth transition-metal intermetallics - Brooks et al. 172 (1991) 95

Quantum Monte Carlo calculation
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Quantum wells, asymmetric
– Binding energy of impurities in asymmetric quantum wells with longitudinal electric field - Cai and Liu 172 (1991) 429
Quasi-particle scattering
– Transport properties of heavy-fermion compounds in a magnetic field - Belitsky and Goltsev 172 (1991) 459

Raman scattering, in semiconductors
– Giant increase of the multiphonon resonant Raman scattering intensity in a high magnetic field in semiconductors with equal effective mass of electrons and holes - Belitsky et al. 172 (1991) 452
Raman scattering, multiphonon resonant
– Giant increase of the multiphonon resonant Raman scattering intensity in a high magnetic field in semiconductors with equal effective mass of electrons and holes - Belitsky et al. 172 (1991) 452
Rare-earth metals
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
Rare-earth–transition-metal compounds
– Electronic structure of ferromagnetic rare-earth–transition-metal compounds - Richter and Eschrig 172 (1991) 85
Rare earths
– Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
– f-Electron systems: pushing band theory - Koelling 172 (1991) 117
RCo_5
– Thermal expansion and spontaneous magnetostriction of — intermetallic compounds - Andreev and Zadvorkin 172 (1991) 517
$(RE,Y)Co_2$ compounds
– Role of the rare-earth atoms affecting the spin fluctuation scattering in the (RE, Y)Co_2 compounds - Duc et al. 172 (1991) 399
Reaction processes
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
Recursion method
– Computation of electronic structure of clean and adatom-covered Ag (0 0 1) surfaces by means of TB–LMTO and — - Hergert et al. 172 (1991) 167
Relativistic density functional theory
– First principles theory of magnetocrystalline anisotropy - Strange et al. 172 (1991) 51
Relativistic effects
– First principles theory of magnetocrystalline anisotropy - Strange et al. 172 (1991) 51
– Orbital magnetism in energy bands - Johansson et al. 172 (1991) 101

Relativistic interaction
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61
Relativistic linear muffin-tin orbital method
– A relativistic spin-polarised band theoretical study of magnetic properties of nickel and iron - Guo et al. 172 (1991) 61
Relativistic selection rules
– A fully relativistic study of angle-resolved photoemission from Ag (1 0 0) and Au (1 0 0) surfaces - König et al. 172 (1991) 125
Relativistic spin-polarised multiple scattering theory
– First principles theory of magnetocrystalline anisotropy - Strange et al. 172 (1991) 51
RPA
– A calculation of correlation functions based on band structure - Winter et al. 172 (1991) 271
RPA–LDA approximation
– A calculation of correlation functions based on band structure - Winter et al. 172 (1991) 271
Russell–Saunders coupling
– Rare-earth transition-metal intermetallics - Brooks et al. 172 (1991) 95

s–d promotion energies
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
Saddle point method
– Charge and spin fluctuations in the density functional theory - Györffy et al. 172 (1991) 35
Saturation magnetic moment
– Electronic structure of ferromagnetic rare-earth–transition-metal compounds - Richter and Eschrig 172 (1991) 85
Scalar relativistic effects
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Scanning-tunneling microscopy
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Screening
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
$Se_{100-x}In_x$, glassy
– Amorphous to crystalline transition in glassy $Se_{100-x}In_x$ - Agarwal et al. 172 (1991) 511
Segregation
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
Self-consistent defect Green function
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Self-consistent-field procedure
– DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307
Self-consistent LMTO–ASA method
– Electronic band structure and chemical bonding in the transition metal dioxides - Gubanov and Medvedeva 172 (1991) 285
Self-energy corrections
– A fully relativistic study of angle-resolved photoemission from Ag (1 0 0) and Au (1 0 0) surfaces - König et al. 172 (1991) 125

Self-interaction correction
– — of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19
– Electronic band structure and chemical bonding in the transition metal dioxides - Gubanov and Medvedeva 172 (1991) 285
Semiconductor, 1/f noise
– AC effects in hot carriers' semiconductor $1/f$ noise - Orlov 172 (1991) 435
Semiconductor, isotropic
– Shallow donor impurity states of a semiconductor in a uniform magnetic field - Dai and Chuu 172 (1991) 445
Semiconductor–semiconductor interfaces
– Full-potential LMTO calculations for atomic relaxations at — - Methfessel and Scheffler 172 (1991) 175
Semiconductors
– Self-consistent surface electronic structure for semi-infinite — from scattering theory - Krüger and Pollmann 172 (1991) 155
– Giant increase of the multiphonon resonant Raman scattering intensity in a high magnetic field in — with equal effective mass of electrons and holes - Belitsky et al. 172 (1991) 452
Semiempirical molecular orbital studies
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
Shape approximations
– Full-potential LMTO calculations for atomic relaxations at semiconductor–semiconductor interfaces - Methfessel and Scheffler 172 (1991) 175
Short-range antiferromagnetic order
– A new approach to a non-local density functional for the calculation of electron correlation energies - Sommers et al. 172 (1991) 27
Short-range order
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
Slab approach
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Slater's self-consistent field problem
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Solitons
– Structural defects in polymers - Springborg 172 (1991) 225
Spin-density distributions
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
Spin fluctuation scattering
– Role of the rare-earth atoms affecting the — in the (RE, Y)Co_2 compounds - Duc et al. 172 (1991) 399
Spin fluctuations
– Charge and — in the density functional theory - Györffy et al. 172 (1991) 35
Spin–orbit coupling
– First principles theory of magnetocrystalline anisotropy - Strange et al. 172 (1991) 51
Spin–orbit effects
– — in the band structure of $Bi_2Sr_2Ca_1Cu_2O_8$ - Hörmandinger et al. 172 (1991) 237

Spin–orbit split valence band
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Spin polarization
– Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
Spin-polarized electrons
– Half-metallic magnetism in the 1990s - de Groot 172 (1991) 45
Spin-polarized low-energy electron diffraction (SPLEED)
– Potential-shape effects in SPLEED from ferromagnets - Krewer and Feder 172 (1991) 135
Spin-polarized photo-electrons
– A fully relativistic study of angle-resolved photoemission from Ag (1 0 0) and Au (1 0 0) surfaces - König et al. 172 (1991) 125
Spin-polarized relativistic multiple-scattering formalism
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Spin spirals
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Spin-wave dispersion
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Spin-wave spectra
– Rare-earth transition-metal intermetallics - Brooks et al. 172 (1991) 95
Spin-wave stiffness constant
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Stoner magnetic state
– Oscillatory gap superconductivity - Weger 172 (1991) 261
Stoner model
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Storage technology
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71
Strain field
– All-electron first-principles supercell total-energy calculation of the vacancy formation energy in aluminium - Mehl and Klein 172 (1991) 211
Structural defects
– — in polymers - Springborg 172 (1991) 225
Sublattice
– New phases of the magnetic elements - Arrott 172 (1991) 31
Substrate
– New phases of the magnetic elements - Arrott 172 (1991) 31
Supercell approximation
– All-electron first-principles supercell total-energy calculation of the vacancy formation energy in aluminium - Mehl and Klein 172 (1991) 211
Supercell methods
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Superconducting properties
– A calculation of correlation functions based on band structure - Winter et al. 172 (1991) 271
Superconductivity
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245

– Oscillatory gap — - Weger 172 (1991) 261
Superconductivity, high-T_c
– Scaling spontaneous fluctuations in high-T_c superconductor films - Kiss et al. 172 (1991) 441
Superconductivity mechanism
– Measurement of the de Haas–van Alphen effect in $YBa_2Cu_3O_{6.97}$ using mega-gauss fields - Mueller et al. 172 (1991) 253
Superfluid frictional force
– Adiabatic flow of He II, part IV - Satoh and Okuyama 172 (1991) 419
Superlattices
– Spin waves and Heisenberg exchange constants for α-iron - Köhler et al. 172 (1991) 79
Surface electronic structure
– Self-consistent — for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Surface Green function
– A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143
Surface physics
– New phases of the magnetic elements - Arrott 172 (1991) 31
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Surface potential
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Surface resonances
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Surfaces
– New phases of the magnetic elements - Arrott 172 (1991) 31
Synchrotron radiation
– Spin-polarized relativistic band structure calculations and their application to the magnetic X-ray dichroism - Ebert et al. 172 (1991) 71

Technological possibilities
– f-Electron systems: pushing band theory - Koelling 172 (1991) 117
Templates
– New phases of the magnetic elements - Arrott 172 (1991) 31
Thermal conductivity, heavy-fermion compounds
– Transport properties of heavy-fermion compounds in a magnetic field - Belitsky and Goltsev 172 (1991) 459
Thermal expansion
– — and spontaneous magnetostriction of a $UCo_{5.3}$ single crystal - Andreev 172 (1991) 377
– — and spontaneous magnetostriction of RCo_5 intermetallic compounds - Andreev and Zadvorkin 172 (1991) 517
Three-centre integrals
– A fast full-potential LCAO method for total-energy minimizations - Oppeneer et al. 172 (1991) 195
3d–5d hybridization
– Rare-earth transition-metal intermetallics - Brooks et al. 172 (1991) 95

^{3}He, adiabatic flow
– Adiabatic flow of He II, part III - Satoh et al. 172 (1991) 409
– Adiabatic flow of He II, part IV - Satoh and Okuyama 172 (1991) 419
^{3}He, liquid
– A self-consistent scheme for evaluating the velocity of the zero-sound in normal liquid ^{3}He and the study of its variation with temperature - Mishra and Tripathy 172 (1991) 369
Tight-binding linear muffin-tin orbitals (TB-LMTOs)
– Computation of electronic structure of clean and adatom-covered Ag (0 0 1) surfaces by means of TB–LMTO and recursion method - Hergert et al. 172 (1991) 167
Total crystal energies
– Charge transfer, charge tailing, cohesion and electron promotion in the transition metals - Watson et al. 172 (1991) 289
Total-energy minimizations
– A fast full-potential LCAO method for — - Oppeneer et al. 172 (1991) 195
Transport
– Structural defects in polymers - Springborg 172 (1991) 225
Triplet states
– Density functional study of iron(II)-porphine - Delley 172 (1991) 185
Two-dimensional pressure
– New phases of the magnetic elements - Arrott 172 (1991) 31
Two-photon momentum density (TPMD)
– Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245

$UCo_{5.3}$
– Thermal expansion and spontaneous magnetostriction of a — single crystal - Andreev 172 (1991) 377
UHV system
– New phases of the magnetic elements - Arrott 172 (1991) 31
Uniaxial magnetocrystalline anisotropy
– Electronic structure of ferromagnetic rare-earth–transition-metal compounds - Richter and Eschrig 172 (1991) 85

Vacancy formation energy
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
– All-electron first-principles supercell total-energy calculation of the — in aluminium - Mehl and Klein 172 (1991) 211
Vacancy–impurity interaction energies
– Total-energy calculations for point defects in metals - Dederichs et al. 172 (1991) 203
Vacuum potential
– Self-consistent surface electronic structure for semi-infinite semiconductors from scattering theory - Krüger and Pollmann 172 (1991) 155
Valence-band offset
– Full-potential LMTO calculations for atomic relaxations at semiconductor–semiconductor interfaces - Methfessel and Scheffler 172 (1991) 175
Vibrational energies
– Ab initio pseudopotential calculations of total energies and forces for hydrogen in palladium - Elsässer et al. 172 (1991) 217

Vibrational frequencies
- Generalized gradient approximations for exchange and correlation: A look backward and forward - Perdew 172 (1991) 1
- DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307

Volume collapse
- Orbital magnetism in energy bands - Johansson et al. 172 (1991) 101

Wannier functions
- Self-interaction correction of localized bands within the LMTO–ASA band structure method - Szotek et al. 172 (1991) 19

Wave function methods
- A self-consistent surface-Green-function (SSGF) method - Scheffler et al. 172 (1991) 143

X-ray absorption energies
- Excitations in a generalized density functional theory - Fritsche 172 (1991) 7

X-ray diffractometry
- Thermal expansion and spontaneous magnetostriction of a $UCo_{5.3}$ single crystal - Andreev 172 (1991) 377
- Thermal expansion and spontaneous magnetostriction of RCo_5 intermetallic compounds - Andreev and Zadvorkin 172 (1991) 517

XANES
- A — study of the K-absorption edge of copper in some of its compounds and use of the same in the determination of bond length - Pandey et al. 172 (1991) 324

$YBa_2Cu_3O_7$, conductivity fluctuations
- Scaling spontaneous fluctuations in high-T_c superconductor films - Kiss et al. 172 (1991) 441

$YBa_2Cu_3O_{6.97}$
- Measurement of the de Haas–van Alphen effect in — using megagauss fields - Mueller et al. 172 (1991) 253

$YBa_2Cu_3O_{7-x}$
- Electronic structure and electron–phonon coupling in high-T_c superconductors - Jarlborg 172 (1991) 245

Zero field line splitting
- Theory of fast modulation of zero-field splitting via discrete reorientations of paramagnetic centers in crystals - Zimpel and Hoffmann 172 (1991) 499

Zero sound, in ^3He
- A self-consistent scheme for evaluating the velocity of the zero-sound in normal liquid ^3He and the study of its variation with temperature - Mishra and Tripathy 172 (1991) 369

Zn-insulin
- DGauss – a density functional method for molecular and electronic structure calculations in the 1990s - Andzelm and Wimmer 172 (1991) 307